



Ambiance

Decorative, Glass & Accessories





Metal Resin Liners



DECAMBCHAIR • - 2" x 12" Chair Rail



DECAMBROMAN • - 2 1/2" x 12" Romanesque Liner *



DECAMBGOTHIC • - 1 3/4" x 12" Gothic Leaf Liner *



DECAMBMATRIX • - 1 1/4" x 12" Matrix City Liner



DECAMBBRICK • - 1 1/4" x 12" Staggered Brick Liner



DECAMBCANE • - 9/16" x 3/4" x 12" Cane



DECAMBBEAD • - 9/16" x 12" Bead Liner

Metal Resin Inserts



DECAMBPRO44 •
4" x 4" Promenade



DECAMBROM44 •
4" x 4" Romanesque *



DECAMBMAT44 •
4" x 4" Matrix City



DECAMBWAV44 •
4" x 4" Wave *
Not available in "N"


Available Colors



Bronze - (B)



Brushed Nickel - (N)



Pewter - (P)



Venetian Bronze - (V)



DECAMBPRO22 •
2" x 2" Promenade



DECAMBROM22 •
2" x 2" Romanesque *



DECAMBMAT22 •
2" x 2" Matrix City



DECAMBWAV22 •
2" x 2" Wave *



DECAMBFLO22 •
2" x 2" Flor-de-Lis *



DECAMBJAS22 •
2" x 2" Jasmine Flower *



DECAMBRIS22 •
2" x 2" Rising Star *



DECAMBPRO11 •
1" x 1" Promenade



DECAMBROM11 •
1" x 1" Romanesque *



DECAMBMAT11 •
1" x 1" Matrix City



DECAMBWAV11 •
1" x 1" Wave *



DECAMBFLO11 •
1" x 1" Flor-de-Lis *



DECAMBJAS11 •
1" x 1" Jasmine Flower *




DECAMBRIS11 •
1" x 1" Rising Star *

Applications

	Floors	Walls	Countertops	Showers Floors	Showers Walls	Pools
Residential		●				●
Light Commercial		●				●
Commercial		●				

Legend: Product rated for interior & exterior use ● Interior use only



Recommended Grout Joint: 3/16"

This product is a wall tile. It cannot be installed on floor applications.

This product should not be installed in high-heat areas, pools, spas/hot tubs, steam rooms, shower floors, and/or submerged applications

Images and product samples are representative of a product's potential characteristics. There is no guarantee the sample product or images will 100% match the product received. Field and trim tile may not be an exact match. We reserve the right to make changes to product specifications at any time without notice. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Reference the most current TCNA Handbook, ANSI, manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper use, installation, or application voids warranty.

* Not Available in Brushed Nickel